



DCA Chemicals Technology

## Material Safety Data Sheet

Copyright, 2012, Guangzhou Deco Chemical Technology Co., Ltd. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Deco products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Deco, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

### SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

MSDS Name: DCA-8463

Company Identification: **Guangzhou Deco Chemical Technology Co., Ltd**

For information, call: +86-20-32371568

For emergencies, call: +86-20-62824805

### SECTION 2 - COMPOSITION, INFORMATION ON INGREDIENTS

Ingredient	C.A.S No.	% by Wt
COPOLYMER WITH PIGMENT AFFINITY GROUP	Trade secret	45%
BUTANYL ACETATE	123-86-4	7%
PMA	108-65-6	48%

### SECTION 3 - HAZARDS IDENTIFICATION

#### EMERGENCY OVERVIEW

**Specific Physical Form:** liquid

**Odor, Color, Grade:** yellow with distinctive odor

**General Physical form:** liquid

**Immediate health, physical, and environmental hazards:** May cause target organ effects

**Eye:** Mild Eye Irritation:

**Skin:** Moderately toxic by intraperitoneal and subcutaneous routes.

**Ingestion:** Mildly toxic by ingestion and inhalation.

**Inhalation:** Human systemic effects by inhalation.

**Chronic:** None.

### SECTION 4 - FIRST AID MEASURES

**Eyes:** Flush eyes with large amounts of water. If signs/symptoms persist, get medical attention.

**Skin:** Remove contaminated clothing and shoes. Immediately flush skin with large amounts of water. Get medical attention. Wash contaminated clothing and clean shoes before reuse.

**Ingestion:** Do not induce vomiting. Give victim two glasses of water. Never give anything by mouth to an unconscious person. Call a physician immediately and get immediate medical attention.

**Inhalation:** Remove person to fresh air. If signs/symptoms develop, get medical attention.

Guangzhou Deco Chemical Technology Co., Ltd.

Address: Room No.1116-1117,Tianyin Building, No.439 Zhongshan Avenue, Tianhe District ,Guangzhou, China.

Tel: +86 20 32371568 Fax: +86 20 62824805 E-Mail: benhuang@decochemie.com Web: www.decochemie.com

**Notes to Physician:** Contains petroleum distillates and / or aromatic solvents, but no hazards which require special first aid measures.

## SECTION 5 - FIRE FIGHTING MEASURES

**Suitable extinguishing media:** Ordinary combustible material. Use fire extinguishers with class A extinguishing agents (e.g. water, foam foam, carbon dioxide (CO<sub>2</sub>), dry chemical, and water spray).

**Extinguishing media which must not be used for safety reasons:** high volume water jet.

**Specific hazards during fire fighting:** Burning produces irritant fumes.

**Special protective equipment for fire fighters:** Wear self-contained breathing apparatus for fire fighting if necessary.

## SECTION 6 - ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Avoid inhalation & direct contact with skin & eyes. Use individual protective equipment (safety glasses, waterproof-boots, suitable protective clothing) in case of major spillages.

**Environment precautions:** Keep away from drains, soils, surface & ground waters.

**Cleaning up methods:** Remove all potential ignition sources. Contain spilled material.

**Spills/Leaks:** The spill should be cleaned up by qualified personnel. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Warning! A motor could be an ignition source and could cause flammable gases or vapors in the spill area to burn or explode. Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Collect as much of the spilled material as possible. Clean up residue with water. Collect the resulting residue containing solution. Place in a closed container approved for transportation by appropriate authorities. Observe state, federal & local disposal regulations.

## SECTION 7 - HANDLING and STORAGE

### Handling

Avoid contact with heat. Do not breathe vapors. Avoid skin contact. Do not eat, drink or smoke when using this product. Wash exposed areas thoroughly with soap and water. Avoid eye contact with vapors, mists, or spray. Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below Occupational Exposure Limits. If ventilation is not adequate, use respiratory protection equipment.

### Storage

Store should be keep away from heat and ignition sources & naked flames. Keep container in well-ventilated and dry area.

## SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION

### Components with workplace control parameters - National regulatory information

Components	C.A.S. No.	Type	Control parameters		Source
			Value [ppm]	Value[mg/m <sup>3</sup> ]	
PMA	108-65-6	TWA	50,0	220,0	EH40 OES
		STEL	110,0	441,0	EH40 OES
		TWA	50,0	221,0	EU ELV
		STEL	100,0	442,0	EU ELV

BUTANYL ACETATE	123-86-4	TWA	50,0	220,0	EH40 OES
		STEL	110,0	441,0	EH40 OES
		TWA	50,0	221,0	EU ELV
		STEL	100,0	442,0	EU ELV

**Personal Protective Equipment:****Respiratory protection:** In case of insufficient ventilation wear suitable respiratory equipment.**Hand protection:** Avoid all skin contact. Use chemically resistant gloves if required.**Break through time:** 120 min.**Eye protection:** tightly fitting safety goggles.**Skin and body protection:** long sleeved clothing.**Hygiene measures:** Handle in accordance with good industrial hygiene and safety practice.**SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

Physical State: Liquid

Color: Yellow

Odor: Distinctive

pH: N/A

Vapor Pressure: N/A

Viscosity: N/A

Boiling Point: 126.1 °C

Freezing/Melting Point: N/A

Autoignition Temperature: N/A

Flash Point: 22 °C (DIN EN 22719, ISO2719)

Explosion Limits, lower: N/A

Explosion Limits, upper: N/A

Decomposition Temperature: N/A

Solubility in water: Immiscible

Specific Gravity/Density: 0.86 g/cm<sup>3</sup> @ 20 ° C (0.1013 MPa, DIN EN ISO 2811-3)

Molecular Formula: Trade secret

Molecular Weight: Trade secret

**SECTION 10 - STABILITY AND REACTIVITY**

Chemical Stability: Stable

Conditions to Avoid: No decomposition if used as directed.

Reactivity: No data available

**SECTION 11 - TOXICOLOGICAL INFORMATION**

RTECS: ZE2100000 (Xylene), AF87350000 (BAc)

**SECTION 12 - ECOLOGICAL INFORMATION**

Biodegradability: Data not available.

Precautions: Prevent surface contamination of soil, ground &amp; surface water.

**SECTION 13 - DISPOSAL CONSIDERATIONS****Waste Disposal Method:** Avoid disposing to drainage systems and into the environment. Incinerate in an industrial or commercial facility in the presence of a combustible material.

As a disposal alternative, dispose of waste product in a facility permitted to accept chemical waste.

**Since regulations vary, consult applicable regulations or authorities before disposal.**

Guangzhou Deco Chemical Technology Co., Ltd.

Address: Room No.1116-1117, Tianyin Building, No.439 Zhongshan Avenue, Tianhe District, Guangzhou, China.

Tel: +86 20 32371568 Fax: +86 20 62824805 E-Mail: benhuang@decochemie.com Web: www.decochemie.com

## SECTION 14 - TRANSPORT INFORMATION

### Land transport

ADR / RID:

**Class:** 3

**Packaging group:** III

**UN-No:** 1993,1123

**ADR/RID-Labels:** 3

**Description of the goods:** ENTZÜNDBARER FLÜSSIGER STOFF, N.A.G.

### Sea transport

IMDG:

**Class:** 3

**Packaging group:** III

**UN-No:** 1993,1123

**Description of the goods:** FLAMMABLE LIQUID, N.O.S.

**Marine pollutant:** no

### Air transport

IATA-DGR:

**Class:** 3

**Packaging group:** III

**UN/ID No.:** UN 1993,1123

**Description of the goods:** Flammable liquid, N.O.S

## SECTION 15 – REGULATORY INFORMATION

### Labelling according to EEC Directive

1999/45/EC

**Symbol(s):** Xn Harmful

**Hazardous components which must be listed on the label:** xylene,BAc

**R-phrase(s):** R10 Flammable.

R20/21 Harmful by inhalation and in contact with skin.

R38 Irritating to skin.

**S-phrase(s):** S36/37 Wear suitable protective clothing and gloves.

### National legislation

**Notification status:** The components of the product are listed in EINECS inventory.

## SECTION 16 – OTHER INFORMATION

### Further information

The information contained herein is based on the present state of our knowledge and does therefore not guarantee certain properties.